

Goat anti-GOT2 (aa 360 to 373) Antibody

Item Number	dAP-1246
Target Molecule	Principle Name: GOT2 (aa 360 to 373); Official Symbol: GOT2; All Names and Symbols: GOT2; glutamic-oxaloacetic transaminase 2, mitochondrial (aspartate aminotransferase 2); FLJ40994; aspartate aminotransferase 2; KAT4; KATIV; mitAAT; kynurenine aminotransferase IV; Accession Number (s): NP_002071.2; Human Gene ID(s): 2806; Non-Human GeneID(s): 14719 (mouse) 25721 (rat)
Immunogen	SNLKKEGSTHNWQH, is from internal region
Applications	Pep ELISA, WB Species Tested: Human
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Supplied As	lyophilized powder of 50ug or 100ug IgG; Reconstitute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Peptide ELISA	Peptide ELISA: antibody detection limit dilution 1 to 4000.
Western Blot	Western Blot: Approx 48kDa band observed in Human Liver lysates (calculated MW of 47.5kDa according to NP_002071.2). Recommended concentration: 0.3-1µg/ml.
IHC	
Reference	Reference(s): Teichberg VI. From the liver to the brain across the blood-brain barrier. Proc Natl Acad Sci U S A. 2007 May 1;104(18):7315-6. Epub 2007 Apr 26. No.PMID: 17463093->

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**