

Goat anti-TRPM8 Antibody

Item Number	dAP-1607
Target Molecule	Principle Name: TRPM8; Official Symbol: TRPM8; All Names and Symbols: transient receptor potential cation channel, subfamily M, member 8; LTRPC6; MGC2849; TRPP8; short form of the TRPM8 cationic channel; transient receptor potential subfamily M member 8; Accession Number (s): NP_076985.4; Human Gene ID(s): 79054; Non-Human GeneID(s): 171382 (mouse) 171384 (rat)
Immunogen	TSEQDKDNWNGQLK, is from internal region
Applications	Pep ELISA Species Tested:
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Supplied As	lyophilized powder of 50ug or 100ug IgG; Reconstitute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Peptide ELISA	Peptide ELISA: antibody detection limit dilution 1 to 8000.
Western Blot	Western Blot: Preliminary experiments gave an approx 28kDa band in lysates of cell line NIH3T3 after 1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of
IHC	
Reference	Reference(s): Dhaka A, Murray AN, Mathur J, Earley TJ, Petrus MJ, Patapoutian A. TRPM8 is required for cold sensation in mice. Neuron. 2007 May 3;54(3):371-8..PMID: 17481391 ->

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**