

Goat anti-Adrb3 (mouse, intracellular) Antibody

Item Number	dAP-2564
Target Molecule	Principle Name: Adrb3 (mouse, intracellular); Official Symbol: Adrb3; All Names and Symbols: Adrb3; ad-renergic receptor, beta 3; Adrb-3; Beta-3 AR; Beta-3 adrenoceptor; OTTMUSP00000036281; beta 3-AR; beta-3 adrenergic receptor; beta-3 adrenoceptor; beta3-adrenergic receptor; Accession Number (s): NP_038490.2; Human Gene ID(s): 155; Non-Human GeneID(s): 11556 (mouse) 25645 (rat)
Immunogen	EARQSPPLNRFD, is from internal region (near C Terminus) The immunizing peptide represents part of an intracellular domain.
Applications	Pep ELISA Species Tested:
Purification	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
Supplied As	lyophilized powder of 50ug or 100ug IgG; Reconstitute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
Peptide ELISA	Peptide ELISA: antibody detection limit dilution 1 to 32000.
Western Blot	Western Blot: Preliminary experiments gave an approx 48kDa band in Mouse fetal Brain lysates after 0.1µg/ml antibody staining. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of
IHC	
Reference	Reference(s): Chiu HJ, Lee MY, Lan TY, Loh el-W, Wang JT, Lan TH. A Positive Association Between Homeostasis Model Assessment of Insulin Resistance Score and the Trp64Arg Polymorphism of the β3-Adrenergic Receptor Gene in Schizophrenia Patients in Taiwan. Prim Care Companion J Clin Psychiatry.

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**