

## Goat anti-Acacb (mouse) Antibody

<b>Item Number</b>	dAP-3039
<b>Target Molecule</b>	Principle Name: Acacb (mouse); Official Symbol: Acacb; All Names and Symbols: Acacb; acetyl-CoA carboxylase beta; Acc2; Accb; AI597064; AW743042; Accession Number (s): NP_598665.2; Human Gene ID (s): ; Non-Human GeneID(s): 100705 (mouse) 116719 (rat)
<b>Immunogen</b>	TLNVQESGRVKYIKR, is from internal region
<b>Applications</b>	Pep ELISA Species Tested:
<b>Purification</b>	Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.
<b>Supplied As</b>	lyophilized powder of 50ug or 100ug IgG; Reconstitute IgG with 100ul or 200ul sterile DI Water and final product will be formulated as 0.5 mg/ml in Tris saline, 0.02% sodium azide, pH7.3 with 0.5% bovine serum albumin. Aliquot and store at -20°C. Minimize freezing and thawing.
<b>Peptide ELISA</b>	Peptide ELISA: antibody detection limit dilution 1 to 16000.
<b>Western Blot</b>	Western Blot: Not yet tested - our routinely used western blotting protocol does not allow detection of proteins as large as the calculated size of 277kDa according to NP_001084.3. Therefore we cannot recommend an optimal concentration and the antibody i
<b>IHC</b>	
<b>Reference</b>	Reference(s): Phillips CM, Goumidi L, Bertrais S, Field MR, Cupples LA, Ordovas JM, McMonagle J, De-foort C, Lovegrove JA, Drevon CA, Blaak EE, Kiec-Wilk B, Riserus U, Lopez-Miranda J, McManus R, Her-berg S, Lairon D, Planells R, Roche HM. ACC2 gene polymorphisms, metabolic syndrome, and gene-

Optimal dilutions should be determined by each laboratory for each application. The listed dilutions are for recommendation only and the final conditions should be optimized by the ender users! This product is sold for **Research Use Only**